

DCCG'S NATIONALE RETNINGSLINIER FOR DIAGNOSTIK OG BEHANDLING AF KOLOREKTAL CANCER		
Litteraturliste – Postoperativ kontrol		
Forfattere: PWJ	Gælder fra: 15. oktober 2012	Gælder til:

Reference List

- (1) Figueredo A, Rumble RB, Maroun J, Earle CC, Cummings B, McLeod R, et al. Follow-up of patients with curatively resected colorectal cancer: a practice guideline. *BMC Cancer* 2003 Oct 6;3(1):26.
- (2) Desch CE, Benson AB, III, Smith TJ, Flynn PJ, Krause C, Loprinzi CL, et al. Recommended colorectal cancer surveillance guidelines by the American Society of Clinical Oncology. *J Clin Oncol* 1999 Apr;17(4):1312.
- (3) Anthony T, Fleming JB, Bieligm SC, Sarosi GA, Kim LT, Gregorcyk SG, et al. Postoperative colorectal cancer surveillance. *J Am Coll Surg* 2000 Jun;190(6):737-49.
- (4) Madsen MR, Harling H. Kontrol af Patienter efter radikal operation for kolorektal cancer. *Ugeskr Laeger* 2004.
- (5) Mella J, Datta SN, Biffin A, Radcliffe AG, Steele RJ, Stamatakis JD. Surgeons' follow-up practice after resection of colorectal cancer. *Ann R Coll Surg Engl* 1997 May;79(3):206-9.
- (6) Galandiuk S, Wieand HS, Moertel CG, Cha SS, Fitzgibbons RJ, Pemberton JH, et al. Patterns of recurrence after curative resection of carcinoma of the colon and rectum. *Surg Gyn & Obstetrics* 1992;174:27-32.
- (7) Anthony T, Simmang C, Hyman N, Buie D, Kim D, Cataldo P, et al. Practice parameters for the surveillance and follow-up of patients with colon and rectal cancer. *Dis Colon Rectum* 2004 Jun;47(6):807-17.
- (8) Merkel S, Mansmann U, Hohenberger W, Hermanek P. Time to locoregional recurrence after curative resection of rectal carcinoma is prolonged after neoadjuvant treatment: a systematic review and meta-analysis. *Colorectal Dis* 2011 Feb;13(2):123-31.
- (9) Bjerkeset T, Edna TH. Rectal cancer: the influence of type of operation on local recurrence and survival. *Eur J Surg* 1996 Aug;162(8):643-8.
- (10) Kapiteijn E, Marijnen CA, Nagtegaal ID, Putter H, Steup WH, Wiggers T, et al. Preoperative radiotherapy combined with total mesorectal excision for resectable rectal cancer. *N Engl J Med* 2001 Aug 30;345(9):638-46.
- (11) Kievit J. Colorectal cancer follow-up: a reassessment of empirical evidence on effectiveness. *Eur J Surg Oncol* 2000 Jun;26(4):322-8.

DCCG'S NATIONALE RETNINGSLINIER FOR DIAGNOSTIK OG BEHANDLING AF KOLOREKTAL CANCER		
Litteraturliste – Postoperativ kontrol		
Forfattere: PWJ	Gælder fra: 15. oktober 2012	Gælder til:

- (12) Jeffery M, Hickey BE, Hider PN. Follow-up strategies for patients treated for non-metastatic colorectal cancer. *Cochrane Database Syst Rev* 2007;(1):CD002200.
- (13) Renehan AG, Egger M, Saunders MP, O'Dwyer ST. Impact on survival of intensive follow up after curative resection for colorectal cancer: systematic review and meta-analysis of randomised trials. *BMJ* 2002 Apr 6;324(7341):813.
- (14) Tjandra JJ, Chan MK. Follow-up after curative resection of colorectal cancer: a meta-analysis. *Dis Colon Rectum* 2007 Nov;50(11):1783-99.
- (15) Baca B, Beart RW, Jr., Etzioni DA. Surveillance after colorectal cancer resection: a systematic review. *Dis Colon Rectum* 2011 Aug;54(8):1036-48.
- (16) Kjeldsen BJ, Kronborg O, Fenger C, Jorgensen OD. A prospective randomized study of follow-up after radical surgery for colorectal cancer. *Br J Surg* 1997 May;84(5):666-9.
- (17) Nielsen MB, Laurberg S, Holm T. Current management of locally recurrent rectal cancer. *Colorectal Disease* 2011 Jul;13(7):732-42.
- (18) Barillari P, Ramacciato G, Manetti G, Bovino A, Sammartino P, Stipa V. Surveillance of colorectal cancer: effectiveness of early detection of intraluminal recurrences on prognosis and survival of patients treated for cure. *Dis Colon Rectum* 1996 Apr;39(4):388-93.
- (19) Böhm B, Schwenk W, Hucke HP, Stock W. Does methodic long-term follow-up affect survival after curative resection of colorectal carcinoma? *Dis Colon Rectum* 1993 Jan;36:280-6.
- (20) Bruinvels DJ, Stiggelbout AM, Kievit J, van Houwelingen HC, Habbema JD, van de Velde CJ. Follow-up of patients with colorectal cancer. A meta-analysis. *Ann Surg* 1994 Feb;219(2):174-82.
- (21) Schoemaker D, Black R, Giles L, Toouli J. Yearly colonoscopy, liver CT, and chest radiography do not influence 5-year survival of colorectal cancer patients. *Gastroenterology* 1998 Jan;114(1):7-14.
- (22) Nordic Gastrointestinal Tumor Adjuvant Therapy Group. Expectancy of primary chemotherapy in patients with advanced asymptomatic colorectal cancer: a randomized trial. *J Clin Oncol* 1992;10:904-11.
- (23) Scheithauer W, Rosen H, Kornek GV, Sebesta C, Depisch D. Randomised comparison of combination chemotherapy plus supportive care with supportive care alone in patients with metastatic colorectal cancer. *BMJ* 1993 Mar 20;306(6880):752-5.

DCCG'S NATIONALE RETNINGSLINIER FOR DIAGNOSTIK OG BEHANDLING AF KOLOREKTAL CANCER		
Litteraturliste – Postoperativ kontrol		
Forfattere: PWJ	Gælder fra: 15. oktober 2012	Gælder til:

- (24) Simmonds PC. Palliative chemotherapy for advanced colorectal cancer: systematic review and meta-analysis. Colorectal Cancer Collaborative Group. BMJ 2000 Sep 2;321(7260):531-5.
- (25) Pietra N, Sarli L, Costi R, Ouchemi C, Grattarola M, Peracchia A. Role of follow-up in management of local recurrences of colorectal cancer: a prospective, randomized study. Dis Colon Rectum 1998 Sep;41(9):1127-33.
- (26) Secco GB, Fardelli R, Gianquinto D, Bonfante P, Baldi E, Ravera G, et al. Efficacy and cost of risk-adapted follow-up in patients after colorectal cancer surgery: a prospective, randomized and controlled trial. Eur J Surg Oncol 2002 Jun;28(4):418-23.
- (27) Northover J. Follow-up after colorectal cancer resection: Is it worthwhile? In: Challenges in Colorectal Cancer. ed. Scholefield JH. Blackwell Science Ltd.; 2000.
- (28) Mäkelä JT, Seppo OL, Kairaluoma MI. Five-year follow-up after radical surgery for colorectal cancer. Archives of Surgery 1995;130:1062-7.
- (29) Ohlsson B, Breland U, Ekberg H, Graffner H, Tranberg KG. Follow-up after curative surgery for colorectal carcinoma. Randomized comparison with no follow-up. Dis Colon Rectum 1995 Jun;38(6):619-26.
- (30) Kjeldsen BJ, Kronborg O, Fenger C, Jørgensen OD. The pattern of recurrent colorectal cancer in a prospective randomised study and the characteristics of diagnostic tests. Int J Colorect Dis 1997;12:329-34.
- (31) Kronborg O, Fenger C, Deichgräber E. Kolonoskopi efter radikal kirurgi for kolorektal cancer. Ti års prospektiv undersøgelse af 309 patienter. Ugeskr Laeger 1991;153:503-6.
- (32) Makela J, Laitinen S, Kairaluoma MI. Early results of follow-up after radical resection for colorectal cancer. Preliminary results of a prospective randomized trial. Surg Oncol 1992 Apr;1(2):157-61.
- (33) Charnsangavej C. New imaging modalities for follow-up of colorectal carcinoma. Cancer 1993 Jun 15;71(12 Suppl):4236-40.
- (34) Yarmenitis SD, Karantanas A, Bakantaki A, Papantoniou Y, Gourtsoyiannis N. Detection of colorectal cancer hepatic metastases with contrast-enhanced ultrasound: comparison with conventional B-mode ultrasound. Dig Dis 2007;25(1):86-93.
- (35) Rafaelsen SR, Jakobsen A. Contrast-enhanced ultrasound vs multidetector-computed tomography for detecting liver metastases in colorectal cancer: a prospective, blinded, patient-by-patient analysis. Colorectal Dis 2011 Apr;13(4):420-5.

DCCG'S NATIONALE RETNINGSLINIER FOR DIAGNOSTIK OG BEHANDLING AF KOLOREKTAL CANCER		
Litteraturliste – Postoperativ kontrol		
Forfattere: PWJ	Gælder fra: 15. oktober 2012	Gælder til:

- (36) Muhi A, Ichikawa T, Motosugi U, Sou H, Nakajima H, Sano K, et al. Diagnosis of colorectal hepatic metastases: comparison of contrast-enhanced CT, contrast-enhanced US, superparamagnetic iron oxide-enhanced MRI, and gadoxetic acid-enhanced MRI. *J Magn Reson Imaging* 2011 Aug;34(2):326-35.
- (37) Mainenti PP, Mancini M, Mainolfi C, Camera L, Maurea S, Manchia A, et al. Detection of colo-rectal liver metastases: prospective comparison of contrast enhanced US, multidetector CT, PET/CT, and 1.5 Tesla MR with extracellular and reticulo-endothelial cell specific contrast agents. *Abdom Imaging* 2010 Oct;35(5):511-21.
- (38) Waizer A, Powsner E, Russo I, Hadar S, Cytron S, Lombrozo R, et al. Prospective comparative study of magnetic resonance imaging versus transrectal ultrasound for preoperative staging and follow-up of rectal cancer. Preliminary report. *Dis Colon Rectum* 1991 Dec;34(12):1068-72.
- (39) Hunerbein M, Pegios W, Rau B, Vogl TJ, Felix R, Schlag PM. Prospective comparison of endorectal ultrasound, three-dimensional endorectal ultrasound, and endorectal MRI in the preoperative evaluation of rectal tumors. Preliminary results. *Surg Endosc* 2000 Nov;14(11):1005-9.
- (40) Hunerbein M, Totkas S, Moesta KT, Ulmer C, Handke T, Schlag PM. The role of transrectal ultrasound-guided biopsy in the postoperative follow-up of patients with rectal cancer. *Surgery* 2001 Feb;129(2):164-9.
- (41) Pfister DG, Benson AB, III, Somerfield MR. Clinical practice. Surveillance strategies after curative treatment of colorectal cancer. *N Engl J Med* 2004 Jun 3;350(23):2375-82.
- (42) Arulampalam T, Costa D, Visvikis D, Boulos P, Taylor I, Ell P. The impact of FDG-PET on the management algorithm for recurrent colorectal cancer. *Eur J Nucl Med* 2001 Dec;28(12):1758-65.
- (43) Kinkel K, Lu Y, Both M, Warren RS, Thoeni RF. Detection of hepatic metastases from cancers of the gastrointestinal tract by using noninvasive imaging methods (US, CT, MR imaging, PET): a meta-analysis. *Radiology* 2002 Sep;224(3):748-56.
- (44) Sorensen NF, Jensen AB, Wille-Jorgensen P, Friberg L, Rordam L, Ingeman L, et al. Strict follow-up programme including CT and (1)F-FDG-PET after curative surgery for colorectal cancer. *Colorectal Dis* 2010 Oct;12(10 Online):e224-e228.
- (45) Stocchi L, Nelson H. Diagnostic and therapeutic applications of monoclonal antibodies in colorectal cancer. *Dis Colon Rectum* 1998 Feb;41(2):232-50.

DCCG'S NATIONALE RETNINGSLINIER FOR DIAGNOSTIK OG BEHANDLING AF KOLOREKTAL CANCER		
Litteraturliste – Postoperativ kontrol		
Forfattere: PWJ	Gælder fra: 15. oktober 2012	Gælder til:

- (46) Sirisriro R, Boonkitticharoen V, Kraiphibul P, Ratanatharathorn V, Sumboonnanon K, Kanjanapitak A, et al. Detection of colorectal carcinoma by anti-CEA monoclonal antibody (IOR-CEA1) labeled with 99mTc scintigraphy. *Hepatogastroenterology* 2000 Mar;47(32):405-13.
- (47) Grossmann EM, Johnson FE, Virgo KS, Longo WE, Fossati R. Follow-up of colorectal cancer patients after resection with curative intent-the GILDA trial. *Surg Oncol* 2004 Aug;13(2-3):119-24.
- (48) Rodriguez-Moranta F, Salo J, Arcusa A, Boadas J, Pinol V, Bessa X, et al. Postoperative surveillance in patients with colorectal cancer who have undergone curative resection: a prospective, multicenter, randomized, controlled trial. *J Clin Oncol* 2006 Jan 20;24(3):386-93.
- (49) Renehan AG, O'Dwyer ST, Whynes DK. Cost effectiveness analysis of intensive versus conventional follow up after curative resection for colorectal cancer. *BMJ* 2004 Jan 10;328(7431):81.
- (50) Kievit J. Follow-up of patients with colorectal cancer: numbers needed to test and treat. *Eur J Cancer* 2002 May;38(7):986-99.
- (51) Borie F, Combescure C, Daures JP, Tretarre B, Millat B. Cost-effectiveness of Two Follow-up Strategies for Curative Resection of Colorectal Cancer: Comparative Study Using a Markov Model. *World J Surg* 2004 May 6.
- (52) Bentzen SM, Balslev I, Pedersen M, Teglbjaerg PS, Hanberg-Sorensen F, Bone J, et al. Time to loco-regional recurrence after resection of Dukes' B and C colorectal cancer with or without adjuvant postoperative radiotherapy. A multivariate regression analysis. *Br J Cancer* 1992 Jan;65(1):102-7.
- (53) Merkel S, Wang WY, Schmidt O, Dworak O, Wittekind CH, Hohenberger W, et al. Locoregional recurrence in patients with anastomotic leakage after anterior resection for rectal carcinoma. *Colorectal Disease* 2001;3:154-60.
- (54) Mulcahy HE, Toner M, Patchett SE, Daly L, O'Donoghue DP. Identifying stage B colorectal cancer patients at high risk of tumor recurrence and death. *Dis Colon Rectum* 1997 Mar;40(3):326-31.
- (55) Nissan A, Guillem JG, Paty PB, Wong WD, Cohen AM. Signet-ring cell carcinoma of the colon and rectum: a matched control study. *Dis Colon Rectum* 1999 Sep;42(9):1176-80.
- (56) Chapman MA, Buckley D, Henson DB, Armitage NC. Preoperative carcinoembryonic antigen is related to tumour stage and long-term survival in colorectal cancer. *Br J Cancer* 1998 Nov;78(10):1346-9.
- (57) Ropponen KM, Eskelinen MJ, Lipponen PK, Alhava E, Kosma VM. Expression of CD44 and variant proteins in human colorectal cancer

DCCG'S NATIONALE RETNINGSLINIER FOR DIAGNOSTIK OG BEHANDLING AF KOLOREKTAL CANCER		
Litteraturliste – Postoperativ kontrol		
Forfattere: PWJ	Gælder fra: 15. oktober 2012	Gælder til:

and its relevance for prognosis. Scand J Gastroenterol 1998 Mar;33(3):301-9.

- (58) Ropponen KM, Kellokoski JK, Lipponen PK, Pietilainen T, Eskelinen MJ, Alhava EM, et al. p22/WAF1 expression in human colorectal carcinoma: association with p53, transcription factor AP-2 and prognosis. Br J Cancer 1999 Sep;81(1):133-40.
- (59) Kahlenberg MS, Stoler DL, Rodriguez-Bigas MA, Weber TK, Driscoll DL, Anderson GR, et al. p53 tumor suppressor gene mutations predict decreased survival of patients with sporadic colorectal carcinoma. Cancer 2000 Apr 15;88(8):1814-9.
- (60) Esteller M, Gonzalez S, Risques RA, Marcuello E, Mangues R, Germa JR, et al. K-ras and p16 aberrations confer poor prognosis in human colorectal cancer. J Clin Oncol 2001 Jan 15;19(2):299-304.
- (61) Pietra N, Sarli L, Thenasseril BJ, Costi R, Sansebastiano G, Peracchia A. Risk factors of local recurrence of colorectal cancer: a multivariate study. Hepatogastroenterology 1998 Sep;45(23):1573-8.
- (62) Jernvall P, Makinen MJ, Karttunen TJ, Makela J, Vihko P. Loss of heterozygosity at 18q21 is indicative of recurrence and therefore poor prognosis in a subset of colorectal cancers. Br J Cancer 1999 Feb;79(5-6):903-8.
- (63) McLeod HL, Murray GI. Tumour markers of prognosis in colorectal cancer. Br J Cancer 1999 Jan;79(2):191-203.
- (64) Cali RL, Pitsch RM, Thorson AG, Watson P, Tapia P, Blatchford GJ, et al. Cumulative incidence of metachronous colorectal cancer. Dis Colon Rectum 1993 Apr;36(4):388-93.
- (65) Svendsen LB, Bulow S, Mellempgaard A. Metachronous colorectal cancer in young patients: expression of the hereditary nonpolyposis colorectal cancer syndrome? Dis Colon Rectum 1991 Sep;34(9):790-3.
- (66) Bussey HJ, Wallace MH, Morson BC. Metachronous carcinoma of the large intestine and intestinal polyps. Proc R Soc Med 1967 Mar;60(3):208-10.
- (67) Neugut AI, Lautenbach E, Abi-Rached B, Forde KA. Incidence of adenomas after curative resection for colorectal cancer. AM J Gastroenterol 1996 Oct;91(10):2096-8.
- (68) Kjeldsen BJ. Evaluation of long-term follow-up in patients having had surgery for colorectal cancer with curative intent. Ph.D. thesis. Odense, Denmark: Faculty of Health Science, Odense University, Denmark; 1998.

DCCG'S NATIONALE RETNINGSLINIER FOR DIAGNOSTIK OG BEHANDLING AF KOLOREKTAL CANCER		
Litteraturliste – Postoperativ kontrol		
Forfattere: PWJ	Gælder fra: 15. oktober 2012	Gælder til:

- (69) Winawer SJ, Fletcher RH, Miller L, Godlee F, Stolar MH, Mulrow CD, et al. Colorectal cancer screening: clinical guidelines and rationale. *Gastroenterology* 1997 Feb;112(2):594-642.
- (70) Anderson M, Pasha T, Leighton J. Endoscopic perforation of the colon: Lessons from a 10 year study. *AM J Gastroenterol* 2000;95:3418-22.
- (71) de Silva WM. Developing a molecular marker for metachronous colorectal cancer. *Ceylon Med J* 1999 Dec;44(4):162-5.
- (72) Koshiji M, Yonekura Y, Saito T, Sakaida N, Uemura Y, Yoshioka K. Genetic alterations in normal epithelium of colorectal cancer patients may be a useful indicator for subsequent metachronous tumor development. *Ann Surg Oncol* 2002 Jul;9(6):580-6.
- (73) Jass JR. Towards a molecular classification of colorectal cancer. *Int J Colorect Dis* 1999;14:194-200.
- (74) Stiggelbout AM, de Haes J, Vree R, van de Velde C, Bruijninx C, van Groningen K, et al. Follow-up of colorectal cancer patients: quality of life and attitudes towards follow-up. *Br J Surg* 1997;75(6):914-20.
- (75) Kjeldsen BJ, Thorsen H, Whalley D, Kronborg O. Influence of follow-up on health-related quality of life after radical surgery for colorectal cancer. *Scand J Gastroenterol* 1999 May;34(5):509-15.
- (76) Sprangens M, Te Velde A, Aaronson K, Taal B. Quality of life following surgery for colorectal cancer. *Psycho-Oncology* 1993;2:247-59.
- (77) Papagrigroriadis S, Koreli A. The needs of general practitioners in the follow-up of patients with colorectal cancer. *EJSO* 2001;27:541-4.
- (78) Grunfeld E, Mant D, Yudkin P, Adewuyi-Dalton R, Cole D, Stewart J, et al. Routine follow up of breast cancer in primary care: randomised trial. *BMJ* 1996 Sep 14;313(7058):665-9.
- (79) Duffy MJ. Carcinoembryonic antigen as a marker for colorectal cancer: is it clinically useful? *Clin Chem* 2001 Apr;47(4):624-30.
- (80) Duffy MJ, van DA, Haglund C, Hansson L, Holinski-Feder E, Klapdor R, et al. Tumour markers in colorectal cancer: European Group on Tumour Markers (EGTM) guidelines for clinical use. *Eur J Cancer* 2007 Jun;43(9):1348-60.
- (81) Cinton C, Johansen JS, Christensen IJ, Price PA, Sorensen S, Nielsen HJ. Serum YKL-40 and colorectal cancer. *Br J Cancer* 1999 Mar;79(9-10):1494-9.
- (82) Cinton C, Johansen JS, Christensen IJ, Price PA, Sorensen S, Nielsen HJ. High serum YKL-40 level after surgery for colorectal carcinoma is related to short survival. *Cancer* 2002 Jul 15;95(2):267-74.

DCCG'S NATIONALE RETNINGSLINIER FOR DIAGNOSTIK OG BEHANDLING AF KOLOREKTAL CANCER		
Litteraturliste – Postoperativ kontrol		
Forfattere: PWJ	Gælder fra: 15. oktober 2012	Gælder til:

- (83) Blackwell K, Hurwitz H, Lieberman G, Novotny W, Snyder S, Dewhirst M, et al. Circulating D-dimer levels are better predictors of overall survival and disease progression than carcinoembryonic antigen levels in patients with metastatic colorectal carcinoma. *Cancer* 2004 Jul 1;101(1):77-82.
- (84) Holten-Andersen MN, Nielsen HJ, Sørensen S, et al. Elevated postoperative plasma levels of tissue inhibitor of metalloproteinases-1 predict minimal residual disease in patients with colorectal cancer. *Proc AACR*; 2002 p. 347.
- (85) Chau I, Allen MJ, Cunningham D, Norman AR, Brown G, Ford HE, et al. The value of routine serum carcino-embryonic antigen measurement and computed tomography in the surveillance of patients after adjuvant chemotherapy for colorectal cancer. *J Clin Oncol* 2004 Apr 15;22(8):1420-9.
- (86) Holten-Andersen M, Christensen IJ, Nilbert M, Bendahl PO, Nielsen HJ, Brunner N, et al. Association between preoperative plasma levels of tissue inhibitor of metalloproteinases 1 and rectal cancer patient survival. a validation study. *Eur J Cancer* 2004 Jan;40(1):64-72.
- (87) Gill S, Loprinzi CL, Sargent DJ, Thome SD, Alberts SR, Haller DG, et al. Pooled analysis of fluorouracil-based adjuvant therapy for stage II and III colon cancer: who benefits and by how much? *J Clin Oncol* 2004 May 15;22(10):1797-806.
- (88) Ribic CM, Sargent DJ, Moore MJ, Thibodeau SN, French AJ, Goldberg RM, et al. Tumor microsatellite-instability status as a predictor of benefit from fluorouracil-based adjuvant chemotherapy for colon cancer. *N Engl J Med* 2003 Jul 17;349(3):247-57.
- (89) Macdonald JS. Clinical overview: adjuvant therapy of gastrointestinal cancer. *Cancer Chemother Pharmacol* 2004 Aug 7.