

|  |                    |                    |
|--|--------------------|--------------------|
| <b>DCCG'S NATIONALE RETNINGSLINIER FOR DIAGNOSTIK OG BEHANDLING AF KOLOREKTAL CANCER</b> |                    |                    |
| <b>Litteraturliste – Lokalfjernelse i colon</b>  |                    |                    |
| <b>Forfattere:</b> GB  | <b>Gælder fra:</b> | <b>Gælder til:</b> |

Baatrup G, Endreseth B, Isaksen V, Kjellmo Å, Tveit KM Nesbakken A: Preoperative staging and treatment options in T1 rectal adenocarcinoma. *Acta Oncol.*; 2009; 48: 328- 42.

Schafer HH, Vivaldi C, Holscher AH: Local excision with transanal endoscopic microsurgery (TEM) after endoscopic R1/R2-polypectomy of pT1 "low risk" carcinomas of the rectum. *Z Gastroenterol.* 2006; 44: 647 – 50.

Naschimbeni R, Burgart LJ, Nivatvong S, Larson DR. Risk of lymph node metastasis in T1 carcinoma of the colon and rectum. *Dis Colon Rectum*,2002; 45: 200 – 205.

Kronborg O, Fenger C. Lokal fjernelse af kolorektal cancer med kurativt sigte. *U.f.Læger*, 1991; 153/25: 1778 – 182.

Tytherleigh MG, Warren B F, Mortensen, NJM. Management of early rectal cancer. *Br. J. Surg.* 2008; 95: 409 – 423.

Baatrup G, Elbrønd H, Hesselfeldt P, Wille-Jørgensen P, Breum B, Qvist N. Rectal adenocarcinoma and transanal endoscopic microsurgery. Diagnostic challenges, indications and short term results in 142 consecutive results. *Int.J.Colorect.Dis.* 2007; 22: 1347 – 1352.

Jang H J,Balik E, Kirchoff D, Tromp W, Kumar A, Grieco M et al. Oncologic colorectal resection, not advanced endoscopic polypectomy, is the best treatment for large dysplastic adenomas. *J Gastroentest Surg* 2012; 16: 165 – 172.

Netzer p, Foster C, Biat R, Ruchti C, Neuweller J, Stauffer E el al: Risk factor assesmant of endoscopically removed malignant colorectal polyps. *Gut* 1998; 43: 669-74.

Santos CE, Malaman D and Pereira-Lima JC: Endoscopic mucosal resection in colorectal lesion: a safe and effective procedure even in lesions larger than 2 cm and in adenocarcinomas.*Arg. Gastroenterol.* 2011; 48: 242-247.

Kim MN, Kang JM, Yang JI, Kim BK, Im JP, Jung HC et al. Clinical features and prognosis of early colorectal cancer treated by endoscopic mucosal resection *J. Gastroenterol Hepatol.*; 2011.; 26: 1619 – 1625.

Buchner AM, Guarner-Argente C, Ginsberg GC. Outcomes of EMR of defiant colorectal lesions directed to an endoscopy referral center *Gastrointest Endosc* 2012; 76: 255 – 263.

Barendse R M, v.d. Broek FJC, Dekker E, Bemelman WA, deGraaf EJR, Fockens P et al: Systematic review of endoscopic mucosal resection versus transanal endoscopic microsurgery for large rectal adenomas. *Endoscopy.* 2011; 443: 941 - 955.

Tseng MY, Lin JC, Shih YL, Chu HC, Chang WK Hsieh TY et al. Endoscopic submucosal dissection for early colorectal neoplasms: clinical experience in a tertiary medical center in Taiwan. *Gastroenterol Res Pract* 2013; PMID: 891565

Sagawa T, Kakizaki S, Lizuka H, Onozato Y, Sohara N, Okamura S et al. Analysis of colonoscopic perforations at a local clinic and a tertiary hospital. *World J Gastroenterol*, 2012; 18: 4898 – 904.